

University of Groningen

The Use of Arrays to Detect Copy-Number Variations in Clinical Practice

Sikkema-Raddatz, Birgit; Sijmons, Rolf H.

Published in:
 Human Mutation

DOI:
[10.1002/humu.22084](https://doi.org/10.1002/humu.22084)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
 Publisher's PDF, also known as Version of record

Publication date:
 2012

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Sikkema-Raddatz, B., & Sijmons, R. H. (2012). The Use of Arrays to Detect Copy-Number Variations in Clinical Practice. *Human Mutation*, 33(6), 905-905. <https://doi.org/10.1002/humu.22084>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

The Use of Arrays to Detect Copy-Number Variations in Clinical Practice

Birgit Sikkema-Raddatz* and Rolf H. Sijmons

Department of Genetics, University of Groningen, University Medical Center Groningen, Groningen, the Netherlands

For the Focus on CNV Detection with Diagnostic Arrays

DOI: 10.1002/humu.22084

Since their introduction, array-based detection techniques have flooded diagnostic practice worldwide. Technical innovation and commercialization of array platforms have brought down their costs and put them within reach of many diagnostic laboratories. Array diagnostics are, therefore, rapidly replacing traditional karyotyping techniques for a range of indications. Such innovations give rise to many questions related to indications for testing, test outcome interpretation, quality control, and the ethics of using arrays for particular applications. There is a growing need for guidelines on these topics. To address the key issues in this field, an international workshop was organized in Amsterdam in 2011 under the auspices of the Genetic Services Quality Committee of the European Society of Human Genetics. The aim was to explore whether consensus could be achieved on the major quality issues and to produce recommendations for the use of arrays to detect copy-number variations (CNVs) in a diagnostic setting. The outcome of the workshop has been summarized in five articles that formulate recommendations and guidelines to cover the different aspects of CNV detection using diagnostic arrays in genetics.

In general, it can be concluded that genome-wide array analysis is well established in postnatal cytogenetics. Most commercially available platforms and data analysis software packages are of high quality and relatively easy to use. The article by Vermeesch et al. (2012) aims to guide laboratories in assuring the quality of their array experiments, by suggesting standards for the minimal resolution of the platform used, and for the interpretation and reporting of the results. Unfortunately, the interpretation of CNVs is not always straightforward since the distinction between pathogenic and benign variants can be difficult as, for example, CNVs with a highly variable phenotype and incomplete penetrance are common. Web-based databases, especially when used in combination, can be helpful in interpreting CNVs. A general clinical interpretation strategy for CNVs is presented by de Leeuw et al. (2012). Because of the genome-wide nature of the use of arrays, clinically relevant CNVs will be detected that are not related to the patient's known phenotype. This clearly raises ethical questions, which may be especially complex if the tested individuals are children, investigated prenatally or postnatally. Dondorp et al. (2012) discuss these ethical issues, trying to find a solution to possible "information overload" in counseling, and exploring the balance between the "right to know" and the "right not to know" in different situations.

Two particular clinical applications of array diagnostics are discussed in more detail. Vetro et al. (2012) explore the use of arrays in prenatal diagnosis and provide recommendations for the various

steps of the process, starting with pretest counseling. In their opinion, array diagnostics have a place in the case of abnormal ultrasound findings as long as local guidelines have been established, whereas the value of offering array diagnostics to all pregnant women is highly debatable. Changing focus from constitutional to acquired chromosomal abnormalities, Simons et al. (2012) review the clinical value of array-based genome-wide screens in leukemia. The genetic complexity of cancer cells requires the detection of small genomic changes in a mixed cell population, as well as the ability to detect regions of homozygosity. The authors discuss these technical challenges and, again, stress the need for international data sharing.

We are proud to present this special collection of articles that report on a set of recommendations and suggested guidelines for CNV array diagnostics. They are meant to encourage further discussion, development, and implementation of local, national, and preferably, international guidelines. The development of such guidelines will not only be important for the use of array diagnostics as part of good clinical and laboratory practice. There should be important spin-off as well. In the rapidly changing landscape of genetic diagnostics, other genome-wide techniques are being introduced as well, including whole-exome sequencing and whole-genome sequencing. Those who endeavor to apply these new technologies to standard clinical use will likely face many challenges similar to those faced in the routine application of array diagnostics.

Acknowledgments

We thank the workshop organizers, workshop leaders, and speakers (in alphabetical order): Trijnie Dijkhuizen, Ros Hastings, Jayne Hehir-Kwa, Klaas Kok, Nicole de Leeuw, David Ledbetter, Conny van Ravenswaaij, Joris Vermeesch, Guido de Wert, and Orsetta Zuffardi. We also thank all authors and workshop participants for their enthusiastic participation and professional input.

References

- de Leeuw N, Dijkhuizen T, Hehir-Kwa JY, Carter NP, Feuk L, Firth HV, Kuhn RM, Ledbetter DH, Lese Martin C, van Ravenswaaij-Arts CMA, Scherer SW, Shams S, and others. 2012. Diagnostic interpretation of array data using public databases and internet sources. *Hum Mutat* 33:930–940.
- Dondorp W, Sikkema-Raddatz B, de Die-Smulders C, de Wert G. 2012. Arrays in postnatal and prenatal diagnosis: an exploration of the ethics of consent. *Hum Mutat* 33:916–922.
- Simons A, Sikkema-Raddatz B, de Leeuw N, Konrad NC, Hastings RJ, Schoumans J. 2012. Genome-wide array in routine diagnostics of hematological malignancies. *Hum Mutat* 33:941–948.
- Vermeesch JR, Brady PD, Sanlaville D, Kok K, Hastings RJ. 2012. Genome-wide arrays: quality criteria and platforms to be used in routine diagnostics. *Hum Mutat* 33:906–915.
- Vetro A, Bouman K, Hastings RJ, McMullan DJ, Vermeesch JR, Miller K, Sikkema-Raddatz B, Ledbetter D, Zuffardi O, van Ravenswaaij-Arts CMA. 2012. The introduction of arrays in prenatal diagnosis: a special challenge. *Hum Mutat* 33:923–929.

*Correspondence to: Birgit Sikkema-Raddatz, Department of Genetics, University of Groningen, University Medical Center Groningen, Hanzeplein 1, P.O. Box 30001; 9700RB Groningen, the Netherlands. E-mail: b.sikkema01@umcg.nl